ROWLEY HOME IMPROVEMENTS

WINDOWS, DOORS, CONSERVATORIES & BI FOLDING DOORS



The Modern Collection

By continually focussing on the latest innovative products, advanced installation techniques and ensuring our customers are 100% satisfied with each job, we have grown substantially over the past few years.

Choosing Rowley Home Improvements means a commitment to customer care, backed by 10 year product guarantees and top quality advice and assistance every step of the way.

Our staff are all industry professionals with years of experience behind them and look forward to helping you realise your dream, whether it be simple replacement doors and windows, stylish bi-folding doors, conservatories or something more elaborate.

Shirley Rowley always offers you a warm welcome to the showroom. Please call in to see a selection of our aluminium, UPVC and glass products which are available to meet every taste and design.

Rowley Home Improvements is a family run business.



ROWLEY HOME IMPROVEMENTS LTD

96 SANDBANKS ROAD, POOLE, DORSET, BH14 8BY.

T: 01202 740823 F: 01202 740823 M: 07701 064580 rowleyhomeimprovements@yahoo.co.uk www.rowleyhomeimprovements.co.uk

The Endurance Range - the peak of security

In today's world of adverse weather conditions and ever increasing crime figures, there is a growing need for people to feel safe and secure in their own homes, protected from both intruders and the elements. With this in mind we have created the Endurance range, a weatherproof, low maintenance residential door designed to give you an attractive entrance and peace of mind.



Secure and Safe!

The Endurance range has been tested to the police preferred security specification of PAS 23/24 standard and has received full accreditation.



PAS 23 accreditation is given after independent testing to various extreme weather conditions and assures that a door is fit for purpose.

PAS 24 accreditation is given after independent testing for withstanding various physical intervention methods, which replicate common attempts at burglary.

In both tests the Endurance range exceeds the required standards.

Style - The beautiful moulded and richly grained exterior surface has the look and feel of traditional timber without its environmental and maintenance disadvantages. Available in a range of colours and wood grains with white and wood grain frames, the Endurance range comes with a stunning selection of hand crafted glass patterns to perfectly suit your own style and individual taste.

Insulation - Due to its 48mm thick solid core the Endurance door has a high thermal and sound insulation compared with many doors.



Strength - The Endurance range offers a 48mm thick solid core of weather resistant resin bonded laminated veneer lumber which is 10% thicker than most alternative foam filled GRP composite doors. This makes the Endurance range one of the most impenetrable door systems available today.

This incredibly thick solid core has been tested and fully certified by the British Board of Agrément (BBA).

The combination of its solid core and Secured by Design high security multi point locking system, centre deadbolt and 72mm thick PVCu reinforced frame makes the Endurance door capable of foiling the most determined intruder.

Durability - The moulded through colour outer skin , bonded to its solid core, combined with fully sealed edges create a door that is guaranteed not to warp ,twist or flake. All doors have a guaranteed colourfastness that will never need to be painted.




Environmentally Friendly - The laminated veneer core is fully environmentally accredited which includes PEFC & full BM Trada 'Chain of Custody'. All the timbers used are harvested from forests that are managed to meet the social, economic and ecological needs of present and future generations. The timber core is fully enhanced with BBA certification and CE marked to EN 14374.

Each Endurance door set is entirely manufactured in the UK to minimise our carbon foot print.



Solid Core & Inner Strength

For the householder who is looking for peace of mind the Endurance door certainly stands out from the crowd! For strength and security the solid core is the only choice.



Substantial solid laminated veneer engineered lumber core, secure, strong and resistant.

Thermal and sound insulation.

The solid core is amazingly robust and offers excellent lateral strength, stiffness and structure. This is recognised by successful testing by the BBA. Multiple veneers of resin bonded lumber combine to form one of the most impenetrable doors on the market today.















Every Endurance door is fitted with the latest high security cylinders. This ensures that each Endurance door lock is resistant to everyday door attacks.















ETNA - Slate Grey Midnight



ETNA - Light Oak Aspire Ruby



ETNA - White Aspire Azure





ETNA - Turquoise Pastel Spring




ETNA - Pebble Sarah







ETNA - Foly Green Opal





ETNA - Cream Graphite



ETNA - Midnight Black Deco



SNOWDON - Turquoise Pastel Midnight




SNOWDON - White Georgian



SNOWDON - Rich Red Graphite







SNOWDON - Schwarz Braun Spring



SNOWDON - French Navy Diamonte



SNOWDON - Rosewood Sarah



SNOWDON - Cream Deco



SNOWDON - Racing Green Opal



OLYMPUS - Schwarz Braun Opal



OLYMPUS - White Diamonte



OLYMPUS - Pebble Graphite



OLYMPUS - Rich Red Midnight





MONTE ROSA - Rosewood Deco



MONTE ROSA Racing Green Aspire Jade



MONTE ROSA French Navy Diamonte



MONTE ROSA Pebble Graphite

Monte Rosa



MONTE ROSA - Slate Grey Aspire Jet



MONTE ROSA - Foly Green Ornate



MONTE ROSA - Turquoise Pastel Opal



ELBRUS - Light Oak Graphite



ELBRUS - White Midnight



ELBRUS - Rich Red Aspire Ruby



ELBRUS - Midnight Black Opal







TATE - French Navy Sarah



TATE - Slate Grey Spring



TATE - Pebble Opal



Tate & Peln



PELMO - Rich Red Opal





PELMO - Midnight Black Spring



PELMO - White Midnight



PELMO - Cream Diamonte



EIGER - French Navy Opal



EIGER - White Aspire Azure



EIGER - Midnight Black Ornate



EIGER - Rich Red Graphite





EIGER - Foly Green Aspire Jade



MALVERN - Pebble Opal



MALVERN - Slate Grey Spring



EIGER - Cream Midnight



EIGER - Turquoise Pastel Spring

Malvem



MALVERN - White Sarah



MALVERN - Turquoise Pastel Diamonte



BEN NEVIS French Navy



BEN NEVIS Turquoise Pastel



BRECON Cream



BRECON Racing Green






SKIDDAW - Rich Red Opal



SKIDDAW - Racing Green Aspire Jet



SKIDDAW - Rosewood Sarah



McKinley - Foly Green



MONT BLANC - Pebble MONT BLANC - Turquoise Pastel MONT BLANC - Oak Spring Aspire Azure



McKinley - Oak



McKinley - Pebble





Diamonte



MONT BLANC - Rich Red Opal



ETNA FRENCH DOORS - Rich Red Deco





ETNA FRENCH DOORS - Oak Opal













TATE SD - Pebble Ornate



SNOWDON SD - Rich Red Spring



TUX - Slate Grey Opal



KYO - Turquoise Pastel Midnight



ANETO - Midnight Black Ornate







GRASMOOR - Cream FAIRFIELD - French Navy URNER - Foly Green Ornate



Opal



Door Furniture, Options & Accessories

To enhance the classic good looks and give additional security, the Endurance door comes with a wide range of quality door furniture and accessories as standard. Our furniture includes a choice of door knocker, a security spyhole, a classic letterbox and a choice of a lever or pad handle.



Door Colours:



Patterned Glass:

Each decorative door design is shown with a clear backing glass as recommended. Patterned glass options include:








Threshold / Rain Deflectors:


The Endurance range offers a selection of coloured rain deflector options including Blue, Green, Red, Black, White, Bronze, Anodised Silver, Bright Gold and Bright Silver.


Each threshold is a perfect barrier to extreme weather conditions, efficiently deflecting rain, snow, hail and sleet away from the entrance of your home.

All Endurance doors can be fitted with the choice of four thresholds, which is ideal for the disabled and those with mobility problems, presenting no obstacle to wheeled traffic.



Standard PVCu





Mobility threshold